

FARMACI CON USO CONSOLIDATO NEL TRATTAMENTO DI PATOLOGIE NEUROLOGICHE PER INDICAZIONI ANCHE DIFFERENTI DA QUELLE PREVISTE DAL PROVVEDIMENTO DI AUTORIZZAZIONE ALL'IMMISSIONE IN COMMERCIO

Nome composto	Estensione di indicazione relative ad usi consolidati sulla base di evidenze scientifiche presenti in letteratura.
Amantadina	<p>Fatica nella sclerosi multipla (Prescrizione specialistica: Neurologi)</p> <p>Principi di neurologia. Adams and Victor. Edited by Mc Graw Hill. 2002 pp 941-942</p> <p>Harrison's Neurology in Clinical Medicine. Edited by Stephen L. Hauser, Scott Andrew, Josephson, Joey, D. English and John W. Engstrom. 2006 pp 420</p> <p>Multiple Sclerosis. Mc Alpine's. Fourth Edition. Churchill Livingstone Elsevier. 2006 pp 717-718</p>
Azatioprina	<p>Malattie autoimmuni a carattere neurologico</p> <p>Principi di neurologia. Adams and Victor. Edited by Mc Graw Hill. 2002 pp 941 (sclerosi multipla); pp 1486-1487 (miastenia grave)</p> <p>Harrison's Neurology in Clinical Medicine. Edited by Stephen L. Hauser, Scott Andrew, Josephson, Joey, D. English and John W. Engstrom. 2006 pp 419 (sclerosi multipla); pp 533 (miastenia grave)</p>
Carbamazepina	<p>Dolore neuropatico (Prescrizione specialistica: neurologo, terapeuta del dolore)</p> <p>Principi di neurologia. Adams and Victor. Edited by Mc Graw Hill. 2002 pp 147-151</p> <p>Le basi farmacologiche della terapia. Goodman and Gilman. Decima edizione. Edited by Mc Graw Hill, New York. 2003 pp 511-512</p> <p>Harrison's Neurology in Clinical Medicine. Edited by Stephen L. Hauser, Scott Andrew, Josephson, Joey, D. English and John W. Engstrom. 2006 pp 50</p> <p>Wiffen PJ, et al. Carbamazepine for acute and chronic pain in adults. Cochrane Database Syst Rev. 2011 Jan 19; (1): CD005451. doi: 10.1002/14651858.CD005451.pub2.</p>

Nome composto	Estensione di indicazione relative ad usi consolidati sulla base di evidenze scientifiche presenti in letteratura.
Ciclofosfamide	<p>Malattie autoimmuni a carattere neurologico (Prescrizione specialistica: Neurologo)</p> <p>Principi di neurologia. Adams and Victor. Edited by Mc Graw Hill. 2002 pp 941 (sclerosi multipla)</p> <p>Harrison's Neurology in Clinical Medicine. Edited by Stephen L. Hauser, Scott Andrew, Josephson, Joey, D. English and John W. Engstrom. 2006 pp 419 (sclerosi multipla); pp 533 (miastenia grave).</p> <p>Hart IK, Sathasivam S, Sharshar T. Immunosuppressive agents for myasthenia gravis. Cochrane Database Syst Rev. 2007 Oct 17;(4):CD005224. Review. PubMed PMID: 17943844.</p> <p>Kuitwaard K, van Doorn PA. Newer therapeutic options for chronic inflammatory demyelinating polyradiculoneuropathy. Drugs. 2009 May 29;69(8):987-1001. 10.2165/00003495-200969080-00004. Review. PubMed PMID: 19496628.</p> <p>McDanel LM, Fields JD, Bourdette DN, Bhardwaj A. Immunomodulatory therapies in neurologic critical care. Neurocrit Care. 2010 Feb;12(1):132-43. doi:</p> <p>European Federation of Neurological Societies; Peripheral Nerve Society, van Schaik IN, Bouche P, Illa I, Léger JM, Van den Bergh P, Cornblath DR, Evers EM, Hadden RD, Hughes RA, Koski CL, Nobile-Orazio E, Pollard J, Sommer C, van Doorn PA. European Federation of Neurological Societies/Peripheral Nerve Society guideline on management of multifocal motor neuropathy. Eur J Neurol. 2006 Aug;13(8):802-8.</p>
Clonidina	<p>Tics</p> <p>RCT positivi:</p> <ul style="list-style-type: none"> - Leckman JF, Hardin MT, Riddle MA, Stevenson J, Ort SI, Cohen DJ (1991) Clonidine treatment of Gilles de la Tourette's syndrome. Arch Gen Psychiatry 48:324–328 - Leckman JF, Hardin MT, Riddle MA, Stevenson J, Ort SI, Cohen DJ (1991) Clonidine treatment of Gilles de la Tourette's

Nome composto	Estensione di indicazione relative ad usi consolidati sulla base di evidenze scientifiche presenti in letteratura.
	<p>syndrome. Arch Gen Psychiatry 48:324–328</p> <p>RCT negativi:</p> <ul style="list-style-type: none"> - Goetz CG, Tanner CM, Wilson RS, Carroll VS, Como PG, Shannon KM (1987) Clonidine and Gilles de la Tourette's syndrome: double-blind study using objective rating methods. Ann Neurol 21:307–310 <p>Linee guida:</p> <ul style="list-style-type: none"> - Roessner V, Plessen KJ, Rothenberger A, Ludolph AG, Rizzo R, Skov L, et al. ESSTS Guidelines Group. European clinical guidelines for Tourette syndrome and other tic disorders. Part II: pharmacological treatment. Eur Child Adolesc Psychiatry 2011;20:173e96. - Pringsheim T, Doja A, Gorman D, McKinlay D, Day L, Billingham L, Carroll A, Dion Y, Luscombe S, Steeves T, Sandor P. Canadian guidelines for the evidence-based treatment of tic disorders: pharmacotherapy. Can J Psychiatry. 2012 Mar;57(3):133-43. <p>Manuali: Harrison's Neurology in Clinical Medicine. Edited by Stephen L. Hauser, Scott Andrew, Josephson, Joey, D. English and John W. Engstrom. 2006 pp 312-313</p>
Deflazacort	<p>Trattamento della distrofia muscolare di Duchenne</p> <p>Bushby K, et al. Diagnosis and management of Duchenne muscular dystrophy, part 1: diagnosis, and pharmacological and psychosocial management. Lancet Neurol. 2010;9(1):77-93;</p> <p>Henricson EK et al. The cooperative international neuromuscular research group Duchenne natural history study: glucocorticoid treatment preserves clinically meaningful functional milestones and reduces rate of disease progression as measured by manual muscle testing and other commonly used clinical trial outcome measures. Muscle Nerve. 2013;48(1):55-67</p> <p>Marika Pane et al. Benefits of glucocorticoids in non-ambulant boys/men with Duchenne muscular dystrophy: A multicentric longitudinal study using the Performance of Upper Limb test. Neuromuscular Disorders 2015;25(10):749-53;</p>

Nome composto	Estensione di indicazione relative ad usi consolidati sulla base di evidenze scientifiche presenti in letteratura.
	Mercuri E. Registries versus tertiary care centers: How do we measure standards of care in Duchenne muscular dystrophy? Neuromuscul Disord. 2016;26(4-5):261-3.
Fenobarbital	<p>Tremore essenziale (Prescrizione specialistica: Neurologi)</p> <p>Principi di neurologia. Adams and Victor. Edited by Mc Graw Hill. 2002 pp 100</p> <p>Harrison's Neurology in Clinical Medicine. Edited by Stephen L. Hauser, Scott Andrew, Josephson, Joey, D. English and John W. Engstrom. 2006 pp 308</p> <p>Deuschl G, Raethjen J, Hellriegel H, Elble R. Treatment of patients with essential tremor. Lancet Neurol. 2011 Feb;10(2):148-61;</p> <p>Zesiewicz TA, Elble R, Louis ED, et al. Practice parameter: therapies for essential tremor: report of the Quality Standards Subcommittee of the American Academy of Neurology. Neurology 2005; 64: 2008–20.</p>
Natalizumab	<p>- E' ammesso l'utilizzo del Natalizumab negli adolescenti di età compresa fra i 12 ed i 18 anni che rientrano nelle caratteristiche del gruppo B del Registro Tysabri. (Prescrizione specialistica: Centri specialistici con schede web-based).</p> <p>Banwell B et al. Therapies for multiple sclerosis: considerations in the pediatric patient Nat. Rev. Neurol. 2010</p> <p>Consensus Statement :Evaluation of new and existing therapeutics for pediatric MS: International Pediatric MS Study Group (IPMSSG) Jan 2011</p> <p>Ghezzi A. et al. Natalizumab therapy of multiple sclerosis: recommendations of the Multiple Sclerosis Study Group-Italian Neurological Society Published online Neurol Sci 2011</p> <p>Ghezzi A et al. The management of multiple sclerosis in children: a European view Mult Scler published online 4 August 2010</p> <p>Ghezzi et al. Safety and efficacy of natalizumab in children with multiple sclerosis Neurology</p>

Nome composto	Estensione di indicazione relative ad usi consolidati sulla base di evidenze scientifiche presenti in letteratura.
	2010 Ghezzi a Therapeutic strategies in childhood multiple sclerosis Ther Adv Neurol Disord 2010
Ossigeno	<p>Trattamento della cefalea a grappolo nella fase acuta</p> <p>Kudrow L. Response of cluster headache attacks to oxygen inhalation. Headache 1981; 21: 1–4.</p> <p>Fogan L. Treatment of cluster headache. A double-blind comparison of oxygen v air inhalation. Arch Neurol 1985; 42: 362–363.</p> <p>Rozen TD. High oxygen flow rates for cluster headache. Neurology 2004; 63: 593.</p> <p>Cohen AS, Burns B and Goadsby PJ. High-flow oxygen for treatment of cluster headache: A randomized trial. JAMA 2009; 302: 2451–2457.</p> <p>Rozen TD and Fishman RS. Demand valve oxygen: A promising new oxygen delivery system for the acute treatment of cluster headache. Pain Med 2013; 14: 455–459.</p> <p>A. May et al. EFNS guidelines on the treatment of cluster headache and other trigeminalautonomic. European Journal of Neurology 2006, 13: 1066–1077.</p> <p>Sarchielli P et al. Italian guidelines for primary headaches:2012 revised version. J Headache Pain (2012) 13 (suppl 2):S31-S70.</p>
Prendisone	<p>Trattamento della distrofia muscolare di Duchenne</p> <p>Bushby K, et al. Diagnosis and management of Duchenne muscular dystrophy, part 1: diagnosis, and pharmacological and psychosocial management. Lancet Neurol. 2010;9(1):77-93;</p> <p>Henricson EK et al. The cooperative international neuromuscular research group Duchenne natural history study: glucocorticoid treatment preserves clinically meaningful functional milestones and reduces rate of disease progression as measured by manual muscle testing and other commonly used clinical trial outcome measures. Muscle Nerve. 2013;48(1):55-67</p>

Nome composto	Estensione di indicazione relative ad usi consolidati sulla base di evidenze scientifiche presenti in letteratura.
	<p>Marika Pane et al. Benefits of glucocorticoids in non-ambulant boys/men with Duchenne muscular dystrophy: A multicentric longitudinal study using the Performance of Upper Limb test. Neuromuscular Disorders 2015;25(10):749-53;</p> <p>Mercuri E. Registries versus tertiary care centers: How do we measure standards of care in Duchenne muscular dystrophy? Neuromuscul Disord. 2016;26(4-5):261-3</p>
Prednisolone	<p>Trattamento della distrofia muscolare di Duchenne</p> <p>Bushby K, et al. Diagnosis and management of Duchenne muscular dystrophy, part 1: diagnosis, and pharmacological and psychosocial management. Lancet Neurol. 2010;9(1):77-93;</p> <p>Henricson EK et al. The cooperative international neuromuscular research group Duchenne natural history study: glucocorticoid treatment preserves clinically meaningful functional milestones and reduces rate of disease progression as measured by manual muscle testing and other commonly used clinical trial outcome measures. Muscle Nerve. 2013;48(1):55-67</p> <p>Marika Pane et al. Benefits of glucocorticoids in non-ambulant boys/men with Duchenne muscular dystrophy: A multicentric longitudinal study using the Performance of Upper Limb test. Neuromuscular Disorders 2015;25(10):749-53;</p> <p>Mercuri E. Registries versus tertiary care centers: How do we measure standards of care in Duchenne muscular dystrophy? Neuromuscul Disord. 2016;26(4-5):261-3</p>
Primidone	<p>Tremore essenziale (Prescrizione specialistica: Neurologi)</p> <p>Principi di neurologia. Adams and Victor. Edited by Mc Graw Hill. 2002 pp 100</p> <p>Harrison's Neurology in Clinical Medicine. Edited by Stephen L. Hauser, Scott Andrew, Josephson, Joey, D. English and John W. Engstrom. 2006 pp 308</p> <p>Deuschl G, Raethjen J, Hellriegel H, Elble R. Treatment of patients with essential tremor. Lancet Neurol. 2011 Feb;10(2):148-61. Review</p> <p>Zesiewicz TA, Elble R, Louis ED, et al. Practice parameter: therapies for essential tremor:</p>

Nome composto	Estensione di indicazione relative ad usi consolidati sulla base di evidenze scientifiche presenti in letteratura.
	report of the Quality Standards Subcommittee of the American Academy of Neurology. Neurology 2005; 64: 2008–20