

**FORMATO EUROPEO
PER IL CURRICULUM
VITAE**



INFORMAZIONI PERSONALI

Nome	PAPINI ENRICO
Indirizzo	VIALE GIUSEPPE MAZZINI 134, 00195 ROMA
Telefono	+39 06 37350235
Cellulare	+39 335 8026277 + 39 3336235608
E-mail	enrico.papini@fastwebnet.it
Nazionalità	Italiana
Luogo e Data di nascita	Napoli , 29 gennaio 1950

ESPERIENZA LAVORATIVA

- | | |
|--|--|
| <ul style="list-style-type: none">• Date (da – a)• Nome e Indirizzo del datore di lavoro• Tipo di azienda o settore• Tipo di impiego• Principali mansioni e responsabilità | <p>Dal 1993 a tutt'oggi</p> <p>Ospedale Regina Apostolorum
Via S. Francesco D'Assisi 50, 00041 Albano Laziale (RM)
Struttura Complessa di Endocrinologia e Malattie Metaboliche
Direttore UOC
Coordinamento e programmazione assistenza clinica. Verifica qualità ed outcomes.</p> |
| <ul style="list-style-type: none">• Date (da – a)• Nome e Indirizzo del datore di lavoro• Tipo di azienda o settore• Tipo di impiego• Principali mansioni e responsabilità | <p>Dal 1998 a tutt'oggi</p> <p>Università di Roma "La Sapienza"
Dipartimento di Fisiopatologia Medica – Policlinico Umberto I
Viale del Policlinico 155, 00161 Roma
1^a Scuola di Specializzazione in Endocrinologia
Docente Scuola di Specializzazione in Endocrinologia e Malattie del Ricambio
Programma Formativo. Didattica frontale e interattiva. Tutor formazione clinica. Esercitazioni pratiche.</p> |
| <ul style="list-style-type: none">• Date (da – a)• Nome e Indirizzo del datore di lavoro• Tipo di azienda o settore• Tipo di impiego• Principali mansioni e responsabilità | <p>Dal 2011 a tutt'oggi</p> <p>Corso di Laurea in Infermieristica
Università Tor Vergata
Corso Triennale di Endocrinologia
Docente
Didattica frontale e interattiva.</p> |

ISTRUZIONE E FORMAZIONE

- Date (da - a)
- Nome e tipo di istituto di istruzione o formazione

Giugno 1989
Research Fellowship, Special Procedures Unit
Royal Free Hospital, London (UK)

Diagnostica per immagini. Procedure biotiche ed interventistiche guidate da immagini.

- Principali materie / abilità professionali oggetto dello studio
- Qualifica conseguita

- Date (da - a)
- Nome e tipo di istituto di istruzione o formazione

Maggio - Giugno 1988
Visiting Fellowship, Department of Interventional Radiology
University of California, San Diego Medical School, Ca (USA)

Diagnostica per Immagini. Procedure biotiche ed interventistiche guidate da immagini.

- Principali materie / abilità professionali oggetto dello studio
- Qualifica conseguita

Maggio 20006
Visiting Professor
Department of Endocrinology, Mayo Clinic, Rochester (MN)

- Date (da - a)
- Nome e tipo di istituto di istruzione o formazione
- Principali materie / abilità professionali oggetto dello studio
- Qualifica conseguita

Da Novembre 1978 a 14 luglio 1983
Scuola di Specializzazione in Medicina Interna
Università Cattolica di Roma

Specializzazione con Lode in Medicina Interna

- Date (da - a)
- Nome e tipo di istituto di istruzione o formazione

Novembre 1975 - 13 marzo 1978
Scuola di Specializzazione in Endocrinologia e Malattie del Ricambio
Università degli Studi di Roma "La Sapienza"

Specializzazione con Lode in Endocrinologia

- Principali materie / abilità professionali oggetto dello studio
- Qualifica conseguita

- Date (da - a)
- Nome e tipo di istituto di istruzione o formazione

Ottobre 1968 - 8 novembre 1974
Facoltà di Medicina e Chirurgia
Università degli Studi di Roma "La Sapienza"

Laurea con Lode in Medicina e Chirurgia

- Principali materie / abilità professionali oggetto dello studio
- Qualifica conseguita

**CAPACITÀ E COMPETENZE
PERSONALI**

MADRELINGUA ITALIANO

ALTRE LINGUE

	INGLESE
• Capacità di lettura	ottimo
• Capacità di scrittura	buono
• Capacità di espressione orale	buono

PATENTE O PATENTI Patente B

ULTERIORI INFORMAZIONI

SOCIETÀ SCIENTIFICHE

Associazione Medici Endocrinologi (AME)
Direttore Attività Scientifica e Formativa
Responsabile Rapporti con Società Europee (2010 – tutt'oggi)
Past President AME (2008-2010)
Presidente AME (2005-2008)
Vice-Presidente AME (2002 – 2005)

UEMS Endocrinology and Metabolism Board: Italian Delegate (2008 – tutt'oggi)

Fellow of the American College of Endocrinology (FACE) (2006-tutt'oggi)

Federazione Italiana di Endocrinologia, Diabete, Andrologia, Metabolismo e Obesità
Segretario Nazionale (2011-tutt'oggi)

Società Italiana di Endocrinologia (SIE):
Consiglio Nazionale SIE (2001 – 2005)
Commissione Scientifica SIE (1999 – 2003)
Esperto ECM SIE (2003-2006)

Associazione Italiana della Tiroide (AIT)
Consiglio Nazionale (2008 – tutt'oggi)

American Association of Clinical Endocrinologists (AACE):
Member

Endocrine Society (USA):
Member

Italian Society of Diabetology (SID):
Member

INTERNATIONAL AWARDS

Haines Lecturer, 2005

International Clinician Award, 2006

RIVISTE SCIENTIFICHE INTERNAZIONALI


Associate Editor
Journal of Endocrinological Investigation (2008 – tutt'oggi)

Referee:
European Journal of Endocrinology
Journal Clinical Endocrinology and Metabolism
Clinical Endocrinology (Oxford)
Thyroid
Lancet

CAMPI DI INTERESSE


Carcinoma e Patologia Nodulare della Tiroide
Procedure Diagnostiche ed Interventistiche sulla Tiroide
Neoplasie Surrenaliche
Tumori Neuroendocrini
Diabete mellito e sue complicanze

IN FEDE



AUTORIZZO IL TRATTAMENTO DEI MIEI DATI PERSONALI AI SENSI DEL DLGS 196 DEL 30 GIUGNO 2003"

ROMA, 15 OTTOBRE 2012



ALLEGATO A

Bibliografia

Guidelines and Consensus Statements

AME Position Statement on Adrenal Incidentaloma.

Terzolo M, Stigliano A, Chiodini I, Loli P, Furlani L, Arnaldi G, Relmondo G, Pala A, Toscano V, Zini M, Borretta G, **Papini E**, Garofalo P, Allolio B, Dupas B, Mantero F, Tabarin A.
Eur J Endocrinol 2011; 164: 851-70.

Hyperthyroidism and Pregnancy. An Italian Thyroid Association and Italian Association of Clinical Endocrinologists Joint Statement for clinical practice.

Negro R, Beck-Peccoz P, Chiovato L, Garofalo P, Guglielmi R, **Papini E**, Tonacchera M, Vermiglio F, Vitti P, Zini M, Pinchera A.
J Endocrinol Invest 2011; 34: 225-231

American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association Medical Guidelines for clinical practice for the diagnosis and management of thyroid nodules.

Gharib H, **Papini E**, Paschke R, Duick DS, Valcavi R, Hegedus L, Vitti P, and the AACE/AME/AIT Task Force for Thyroid Nodules.
J Endocrinol Invest 2010; 33 (Suppl to N° 5): 1-56.

Thyroid nodule and differentiated thyroid cancer management in pregnancy. An Italian Association of Clinical Endocrinologists (AME) and Italian Thyroid Association (AIT) joint statement for clinical practice.

Papini E, Negro R, Pinchera A, Guglielmi R, Baroli A, Beck Peccoz P, Garofalo P, Pisoni MP, Zini M, Elisai R, Chiovato L.
J Endocrinol Invest. 2010; Jul 13 (epub ahead of print).

American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association Medical Guidelines for clinical practice for the diagnosis and management of thyroid nodules: Executive Summary of Recommendations.

Gharib H, **Papini E**, Paschke R, Duick DS, Valcavi R, Hegedus L, Vitti P.

Endocr Pract 2010; 16: 468-75.

Expert Panel of the Italian Society of Endocrinology (SIE) and The Italian Society of Pathology (SIAPEC).
Consensus for the Clinical Management of Thyroid Nodules.
L'Endocrinologo 2008 [Article in Italian language].

The reason for a clinical statement on Acromegaly.

Papini E, Garofalo N, Cozzi R, Attanasio R.
J Endocrinol Invest 2009; 32 (6 Suppl)

American Association of Clinical Endocrinologists – Associazione Medici Endocrinologi Task Force. Co-Chairs: Hossein Gharib, **Enrico Papini** and Roberto Valcavi.
Clinical Practice Guidelines for the Diagnosis and Management of Thyroid Nodules. Endocr Pract 2006; 12: 63-102.

CNR – MIUR Study Group. Scientific basis for Clinical Guidelines for Epithelial Thyroid Tumors 2006
[Statement in Italian language].

Expert Panel of the Italian Society of Endocrinology and of the Italian Society of Nuclear Medicine.
Guidelines for the Treatment and Follow-up of Differentiated Thyroid Cancer 2004.
[Statement in Italian language]. www.societaitalianadiendocrinologia.it/slib/sdld/lineeguida-k-tir.pdf

Original papers in English (last five years)

Percutaneous Ultrasound-guided laser ablation is effective for treating selected nodal metastases in papillary thyroid cancer.

Papini E, Bizzarri G, Bianchini A, Valle D, Mischi I, Guglielmi G, Salvatori M, Solbiati L, Crescenzi A, Pacella CM, and Gharib H.
J Clin Endocrinol Metab 2012; In press

Ultrasound sensitivity for thyroid malignancy is increased by real-time elastography: A prospective multicenter study.

Trimboli P, Guglielmi R, Monti S, Mischi I, Graziano F, Nasrollah N, Amendola S, Morgante SN, Deliana MG, Valabrega S, Toscano V, and **Papini E**.
J Clin Endocrinol Metab 2012; Oct 12 [Epub ahead of print]

Thyroid nodules treated with percutaneous radiofrequency thermal ablation: A comparative study.

Faggiano A, Ramundo V, Assanti AP, Fonderico F, Macchia PE, Misso C, Marciello F, Marotta V, Del Prete M, **Papini E**, Lombardi G, Colao A, Spiezia S.
J Clin Endocrinol Metab 2012; Sept 27 [Epub ahead of print]

Screening of Cushing's Syndrome in outpatients with type 2 diabetes: Results of a prospective multicentric study in Italy.

Terzolo M, Reimondo G, Chiodini I, Castello R, Giordano R, Ciccarelli E, Limone P, Crivellaro C, Martinelli I, Montini M, Di Sotero O, Ambrosi B, Lanzl R, Arosio M, Senni S, Balestrieri A, Solaroli E, Madeo B, De Giovanni R, Strollo F, Battista R, Scorsone A, Giagulli VA, Collura D, Scillitani A, Cozzi R, Faustini-Fustini M, Pia A, Rinaldi R, Allasino B, Peraga G, Tassone F, Garofalo P, **Papini E**, Borretta G.
J Clin Endocrinol Metab 2012; 97: 3467-75

Clinical indications to the use of (99m)Tc-EDDA/HYNIC-TOC to detect somatostatin receptor-positive neuroendocrine tumors.

Parisella MG, Chianelli M, D'Alessandria C, Todino V, Mikolajczak R, **Papini E**, Dieckx RA, Scopinaro F,

Signore A.

Q J Nucl Med Mol Imaging 2012; 56: 90-98.

Natural history of GEP and thoracic neuroendocrine tumors. Data from a large prospective and retrospective Italian epidemiological study: The NET Management Study.

Faggiano A, Ferolla P, Grimaldi F, Campana D, Manzoni M, Davi MV, Bianchi A, Valcavi R, **Papini E**, Giuffrida D, Ferone D, Fanciulli G, Arnaldi G, Franchi GM, Francia G, Fasola G, Crino L, Pontecorvi A, Tomassetti P, Colao A.

J Endocrinol Invest 2011; Nov 9 [Epub ahead of print]

Ultrasound-guided laser ablation of incidental papillary thyroid microcarcinoma: a potential therapeutic approach in patients at surgical risk.

Papini E, Guglielmi R, Gharib H, Misischi I, Graziano F, Chianelli M, Crescenzi A, Blanchini A, Valle D, Bizzarri G.

Thyroid 2011; 21: 917-920.

Thyroid nodules guidelines: agreement, disagreement and need for future research.

Paschke R, Hegedus L, Alexander E, Valcavi R, **Papini E**, Gharib H.

Nat Rev Endocrinol 2011; 7: 354-61.

Hypoechoic Triangle: a new sonographic sign or marker of advanced autoimmune thyroiditis.

Solivetti FM, **papini E**, Misischi I, Palermo A, Pantano AL, Bizzarri G, **Papini L**, Guglielmi R.

Thyroid 2011; 21: 285-289.

EUS-guided Nd:YAG laser ablation of normal pancreatic tissue: a pilot study in a pig model.

Di Matteo F, Martino M, Rea R, Pandolfi M, Rabitti C, Masselli GM, Silvestri S, Pacella CM, **Papini E**, Panzera F, Valeri S, Coppola R, Costamagna G.

Gastrointest Endosc. 2010; 72: 358-63.

Low-activity (2.0 GBq; 54 mCi) radioiodine post-surgical remnant ablation in thyroid cancer: comparison between hormone withdrawal and use of rhTSH in low-risk patients.

Chianelli M, Todino V, Graziano FM, Panunzi C, Pace D, Guglielmi R, Signore A, and **Papini E**.

Eur J Endocrinol. 2009; 160(3):431-6.

Percutaneous laser ablation of benign and malignant thyroid nodules.

Papini E, Bizzarri G, Pacella CM.

Curr Opin Endocrinol Diabetes Obes. 2008;15(5):434-9.

Thyroid nodules: a review of current guidelines, practices, and prospects.

Gharib H, **Papini E** and Paschke R.

Eur J Endocrinol. 2008;159(5):493-505.

Contrast – enhanced US in the management of thyroid nodules

Papini E, Bizzarri G, Blanchini A et al.

In (Baskin HJ, Dulick D, Levine RA (eds) Thyroid Ultrasound and Ultrasound-guided FNA

Springer, 2008, New-York

Papillary carcinoma of a thyroglossal duct cyst in a patient with thyroid hemiagenesis: effectiveness of conservative surgical treatment.

Berni Canani F, Dall'Olio D, Chiarini V, Casadei GP, **Papini E**.

Endocr Pract. 2008;14(4):465-9.

Percutaneous laser ablation of unresectable primary and metastatic adrenocortical carcinoma.

Pacella CM, Stasi R, Bizzarri G, Bianchini A, Graziano FM, Guglielmi R, and Papini E.
Eur J Radiol 2008; 66 : 88-94.

Thyroid Nodules: Clinical Importance, Assessment, and Treatment.
Gharib H, Papini E.
Endocrinol Metab Clin N Am 2007; 36: 707-735.

Treatment of benign cold thyroid nodules: A randomized clinical trial of percutaneous laser ablation vs
levothyroxine therapy ore follow-up.
Papini E, Guglielmi R, Bizzarri G, Bianchini A, Graziano F, Valle D, and Pacella CM.
Thyroid 2007, 3: 229-235.

Previous

Pacella CM, Bizzarri G, Spiezia S, Bianchini A, Guglielmi R, Crescenzi A, Pacella S, Toscano V, **Papini E**. Thyroid Tissue: US-guided Percutaneous Laser Thermal Ablation. Radiology 2004; 232: 272 - 280.

Percutaneous ethanol injection treatment in benign thyroid lesions: Role and efficacy.

Guglielmi R, Pacella CM, Bianchini A, Bizzarri G, Rinaldi R, Graziano FM, Petrucci L, Toscano V, Palma E, Poggi M, **Papini E**. Thyroid. 2004; 14:125 - 31.

Expression and Localization of Thyroid Hormone Receptor mRNA In Normal, Hyperplastic and Neoplastic Human Thyroid. Jannini EA, Crescenzi A, Rucci N, Graziano FM, Nardi F, Trimboli P, **Papini E**, and D'Armiento M.

J Endocrinol Invest 2003; 26: 1008-12.

The dilemma of non-palpable thyroid nodules (Editorial).

Papini E.

J Endocrinol Invest 2003; 26: 3-4.

Mutational analysis of StAR gene in adrenal tumors.

Stigliano A, Caiola S, Siniscalchi E, **Papini E**, Crescenzi A, Monti S, Arnaldi G, Mantero F, Scliarra F and Toscano V.

Int J Cancer 2002; 97: 357-60.

Risk of malignancy in nonpalpable thyroid nodules: Predictive value of ultrasound and color-doppler features.

Papini E, Guglielmi R, Bianchini A, Crescenzi A, Taccogna S, Nardi F, Panunzi C, Rinaldi R, Toscano V and Pacella CM.

J Clin Endocrinol Metab 2002; 87: 1941-46.

Rossi Z, Rinaldi R, Forlini G, Quondamcarlo C, Valente C, Petrucci L, Guglielmi R, Pagano A, and **Papini E**. Prevalence of chronic constipation, diarrhea and fecal incontinence in type 2 diabetic patients. Neurogastroenterology 2001; 7: 13-16.

Pacella CM, Bizzarri G, Guglielmi R, Anelli V, Bianchini A, Crescenzi A, Pacella S and **Papini E**. Thyroid Tissue: US-guided percutaneous interstitial laser ablation – A feasibility study. Radiology 2000; 217: 673 – 677.

Papini E and Pacella CM. Percutaneous ethanol injection of benign thyroid nodules and cysts using ultrasound; In: Baskin HJ (ed) Thyroid Ultrasound and Ultrasound-Guided FNA Biopsy; Boston, Kluwer Academic Publishers, 2000: 169-214.

Latini A, Martin LS, Limiti G, Magarelli M, Polidori L, Tramutoli R, **Papini E**, Rinaldi R, Guglielmi R, Petrucci L, Panunzi C, Pagano A. Autonomic Neuropathy in a Diabetic Population. Validity of cardiovascular tests and correlations with the complications. Rec Prog Med. 2000; 91(11): 562 -6. [English Abstract]

Tassi V, DiCerbo A, Porcellini A, , **Papini E**, Cisternino C, Crescenzi A, Scillitani A, Pizzuti A, Ratti A, Trischitta V, Avvedimento E, Fenzi G, and De Filippis V. Screening of Thyrotropin Receptor Mutations by Fine needle Aspiration Biopsy in autonomous functioning thyroid nodules in multinodular goiter. Thyroid 1999; 9: 353-357.

Crescenzi A, Panunzi C, Taccogna S, **Papini E**, Pacella CM, Nardi F. Cytospray fixation of frozen intraoperative sections. Mod Pathol 1999; 12: 92 – 94.

Guglielmi R, Pacella CM, Dottorini ME, Bizzarri GC, Todino V, Crescenzi A, Rinaldi R, Panunzi C, Rossi Z, Colombo L, and Papini E. Severe thyrotoxicosis due to hyperfunctioning liver metastasis from follicular thyroid carcinoma: treatment with 131-I and interstitial laser ablation. *Thyroid* 1999; 2: 173 – 177.

Papini E, Petrucci L, Guglielmi R, Panunzi C, Rinaldi R, Bacchi V, Crescenzi A, Nardi F, Fabbrini R, Pacella CM. Long-term changes in nodular goiter: A 5-year prospective randomized trial of levothyroxine suppressive therapy for benign cold thyroid nodules. *J Clin Endocrinol Metab* 1998; 83: 780-783.

Pacella CM, Guglielmi R, Fabbrini R, Bianchini A, Rinaldi R, Panunzi C, Pacella S, Crescenzi A, and Papini E. Papillary carcinoma in small hypoechoic thyroid nodules: Predictive value of echo color doppler evaluation. Preliminary results. *J Exp Clin Cancer Res* 1998; 17: 127 - 128.

Pacella CM, Bizzarri GC, DePetrìs U, Guglielmi R, Papini E, Verde G. Ultrasound-guided interstitial laser ablation of thyroid nodules. Feasibility Study. *Minimally Invasive Therapy & Allied Technologies* 1996.

Papini E, Panunzi C, Rinaldi R, Guglielmi R, Tramutoli R, Piscichio G. Pericardial effusion due to inadequate replacement therapy after thyroidectomy in a patient with resistance to thyroid hormone. *J Endocrinol Invest* 1996; 19 (Suppl 5): 17.

Crescenzi A, Papini E, Pacella CM, Rinaldi R, Panunzi C, Petrucci L, Fabbrini R, Bizzarri GC, Anelli V, Nardi F, and Marinozzi V. Morphological Changes in a hyperfunctioning thyroid adenoma after percutaneous ethanol injection: Histological, enzymatic and sub-microscopical alterations. *J Endocrinol Invest* 1996; 19: 371-376.

Lippi F, Ferrari C, Manetti L, Rago T, Santini F, Monzani F, Bellitti P, Papini E, Busnardo B, Angelini F, Pinchera A, and the Multicenter Study Group. Treatment of solitary autonomous thyroid nodules by percutaneous ethanol injection: Results of an Italian Multicenter Study. *J Clin Endocrinol Metab* 1996; 81: 3261 - 3264.

Todino V, Pacella CM, Crescenzi A, Rossi Z, Panunzi C, and Papini E. Ectopic thyroid tissue in the liver. Case-Report. *Eur J Nucl Med* 1996, 9: 1055.

Papini E, Pacella CM, and Verde G. Percutaneous ethanol injection (PEI): What is its role in the treatment of benign thyroid nodules? *Thyroid* 1995; 2: 147 - 150.

Pacella CM, Papini E, Bizzarri G, Fabbrini R, Anelli V, Rinaldi R, Valle D, Nardi F. Assessment of the effect of PEI in autonomously functioning thyroid nodules by colour-coded duplex sonography. *Eur Radiol* 1995; 5:395 - 400.

Verde G, Papini E, Pacella CM, Gallotti C, Del Piano S, Strada S, Fabbrini R, Bizzarri G, Rinaldi R, Panunzi C, and Gelli D. Ultrasound-guided percutaneous ethanol injection in the treatment of cystic thyroid nodules. *Clin Endocrinol* 1994; 41: 719 -24.

Panunzi C, Pallotta D, Papini E, Petrucci L, Rinaldi R, Nardi F. Cutaneous seeding of follicular thyroid cancer after Fine Needle Aspiration Biopsy. *Diagn Cytopathol* 1994; 10:156 – 58

Papini E, Crescenzi A, Pacella CM, Rinaldi R, Panunzi C, Guglielmi R, Tramutoli R, Nardi F, Marinozzi V. Histological, enzymatic and submicroscopical changes induced by percutaneous ethanol injection in autonomously functioning thyroid nodules. *J Endocrinol Invest* 1994; 17 (suppl 2): 71

Papini E, Panunzi C, Petrucci L, Rinaldi R, Tramutoli R, Piscichio G, Nardi F. Long-term results of percutaneous ethanol injection treatment of benign thyroid nodules. *Min Endocrinol* 1993; 18: 173– 179.

Pacella CM, Rossi Z, Bizzarri G, Papini E, Marinozzi V, Pallotta D, Castaldo D, Ziparo A, Cinti G, Muzzi R. Ultrasound-guided laser ablation of liver tissue in a rabbit model. *Eur Radiol* 1993; 3: 26 – 32.

Papini E, Panunzi C, Pacella CM, Bizzarri G, Fabbrini R, Petrucci L, Pisicchio G, Nardi F. Percutaneous ultrasound-guided ethanol injection: A new treatment of toxic autonomously functioning thyroid nodules? *J Clin Endocrinol Metab* 1993; 76: 411-416.

Papini E, Bacci V, Panunzi C, Pacella CM, Fabbrini R, Bizzarri G, Petrucci L, Glammarco V, La Medica F, Masala M, and Nardi F. A prospective randomized trial of levothyroxine suppressive therapy for solitary thyroid nodules. *Clin Endocrinol (Oxf)* 1993; 38: 507 - 513.

Papini E, Pacella CM, Rossi Z, Bizzarri G, Fabbrini R, Nardi F, Picardi R. A randomized trial of ultrasound-guided anterior subcostal liver biopsy versus the conventional Menghini technique. *J Hepatol* 1991; 13: 291-297.

Papini E, Panunzi C, Petrucci L, Picardi R, Pacella CM, Bizzarri G, Fabbrini R, Pisicchio G, Favella A, Todino V, Nardi F. Percutaneous ultrasound-guided treatment of hyperfunctioning thyroid nodules. Technique and preliminary results. *Min Endocrinol* 1991; 16: 163 - 170.

Pacella CM, Papini E, Bizzarri G, Picardi R. Hepatocellular carcinoma: magnetic resonance imaging after ultrasonically guided percutaneous alcohol treatment. Preliminary report. *It J Gastroenterol* 1990; 22: 136 -41.

Picardi R, Rossi Z, Tramutoli R, Forlini G, Pagano A, Panunzi C, Papini E, Brunetti M, Magrini A, Izzo G, Valeri L. Functional-dynamic analysis method with radiocolloids in assessment of hepatic hemodynamics. *Il Policlinico* 1985; 7: 747 – 750.

Papini E, Tramutoli R, Favella A, Todino V, Panunzi C, Picardi R. Clinical evaluation of ^{99m}Tc-O₄ trapping index in functional study of the thyroid. *Min Endocrinol* 1984; 4: 395 - 400.

Favella A, Papini E, Tramutoli R, Brunetti M, Izzo G, Magrini A. The neck - thigh activity ratio with ^{99m}Tc-pertechnetate in the study of thyroid function. *J Nuc Med All Sc* 1983; 2: 104 – 105.

Papini E, Panunzi C, Piccirilli R, Rossi Z, Picardi R. Severe anemia due to subclinical hypothyroidism. *Min Endocrinol* 1982; 7: 85 - 89.

Pagano A, Papini E, Rossi Z, Favella A, Pavoni P, Picardi R. Hepatocyte clearance of ^{99m}Tc-Diethyl-IDA in chronic liver diseases. *Ital J Gastroenterol* 1980; 12: 288 - 291.

Picardi R, Pagano A, Papini E, Ponzo M, Favella A, Pavoni P. Evaluation of hepatocyte clearance of ^{99m}Tc-diethyl-IDA in intrahepatic cholestasis. *RAYS* 1978; 3: 103 - 113.